

TECHNICAL DATA SHEET

Date of issue: 2021

EMULSION PAINT ECONOMIC ALPINA

DESCRIPTION

Economic Alpina is of high quality emulsion paint based on PVA copolymer for interior use. It is a product of very good performance and hiding power and superior whiteness. It has very good leveling properties and gives smooth mat finish. It is suitable for plaster, concrete, bricks, gypsum board, wood etc.



TECHNICAL CHARACTERISTICS

Density	: 1,60 - 1,64 (EAOT EN ISO 2811 20°C)
Viscosity	: 6000-8000mPas
Resistance to wet abrasion	: >1.000 cycles(DIN 53778)
Thinning	: 5 - 10% with water
Coverage	: 8-10 m ² /lt per layer
Drying time	: Touch dry after 1 hour and recoat able after 2-3hours
Colors	: Unlimited number of shades through tinting system of ALPINA
Packaging	: 3lt, 9lt
VOC (Volatile Organic Compounds)	: EU limit value for this product Category A: "a", Type:WB, Interior matt walls and ceilings (Gloss <25@60°): 30g/l (2010). This product contains max 29g/l VOC.
Painting tools	: Brush, roller, pistol Remove as much paint as possible from the equipment in the container and clean it immediately with hot water and soap.
Conditions of application	: Do not apply at temperatures below 10°C and above 35°C.
Storage	: Keep in shadow in temperature 5°C to 40°C. Keep container closed after each use



TECHNICAL DATA SHEET

Date of issue: 2021

APPLICATION

Stir well before use

Surfaces must be clean and dry. Remove dust, grease, salts and poorly adhering material from the surface.

Use **Stocoacryl Alpina** putty to fill and then prime with **Alpidur water based primer** or **Astari plastikou Alpina**. For new surfaces, prime using one of the abovementioned water based primers.

REMARKS: After at least 4 weeks, surfaces painted with emulsion paint **EconomicAlpina** can be washed gently using a sponge with water or soap solution.

HEALTH, SAFETY AND ENVIRONMENTAL INFORMATION

Handle with care. Before and during use, observe all safety labels on packaging and paint containers, consult ALPINA Safety Data Sheets and follow all local or national safety regulations.